
INSTALLATION GUIDE

SEF2C

Support 37" to 75" Screen Size
Max Load Capacity: 110lbs (50 kg) Per Screen

VESA 100x100mm / 600x400mm compatible





User's Manual

WARNING

- Be sure to read this entire manual thoroughly and you fully understand all the instructions and warning before attempting to begin your installation.
- This product should only be installed by someone who has a basic knowledge of building construction, installations and fully understands these instructions.
- Always have someone assist you to lift and position your equipment.
- Tighten screws and bolts firmly, but do not over tighten. Over tightening can damage the items and greatly reduce their ability to hold. Please refer to suggested torque values where applicable in these instructions.

Dimensions






Parts list


A1	A2	A3	A4	A5	A6	A7
M5X15	M6X15	M8X25	Ø16XØ6.2X1.5	M8X45	Ø16XØ8.2X1.5	Ø13XØ8.2X13
		*		38		
X4	X4	X4	X4	X4	X4	X4

B1	В	2	В3	B4	
3mm	5mm	6mm	M8X10	M8	
			•		X1
X1	X1	X1	X4	X4	


C1	C2	C3	C4	C5	C6	
M8X70	M8		Ø16XØ8.2X1.5	Lag bolt	Anchor	
	9	2/3	0	0)	O Amy	X1
X2	X2	X1	X8	X8	X8	





X1





2




















Optional Tool (Does not include in the box)


The tool for drilling new holes when extension pipe has been cut.



















Installation












































4